

WATER-SOLUBLE AGENT CONTAINING FAT-SOLUBLE VITAMIN

Publication number: JP62000419 (A)

Publication date: 1987-01-06

Inventor(s): OOTA YOICHI; YONEDA NORIHIRO +

Applicant(s): SHISEIDO CO LTD +

Classification:

- **international:** **A23L1/302; A23L2/00; A61K31/355; A61K31/59; A61K45/08; A61K8/30; A61K8/34; A61K8/37; A61K8/39; A61K8/67; A61K9/10; A61Q19/00; B01F17/42; B01J13/00; A23L1/302; A23L2/00; A61K31/352; A61K31/59; A61K45/00; A61K8/30; A61K9/10; A61Q19/00; B01F17/42; B01J13/00;** (IPC1-7): A23L1/302; A23L2/00; A61K31/355; A61K31/59; A61K7/00; A61K9/10; B01F17/42; B01J13/00

- **European:** A61K8/39; A61K8/67; A61Q19/00

Application number: JP19850139935 19850626

Priority number(s): JP19850139935 19850626

Abstract of JP 62000419 (A)

PURPOSE:To obtain the titled water-soluble agent having extremely high stability and excellent safety and takable without feeling the taste and odor, by compounding a fat-soluble vitamin, a water-soluble polyhydric alcohol, a polyglycerol fatty acid ester, ethanol and water. **CONSTITUTION:**The objective water-soluble agent can be produced by compounding (A) preferably 0.5-30(wt)% fat-soluble vitamin (e.g. vitamin A, D, E, F, K, U, etc.), (B) preferably 2-95% water-soluble polyhydric alcohol having ≥ 2 OH groups in the molecule (e.g. ethylene glycol), (C) preferably 0.2-5pts. (based on 1pt. of the component A) of a polyglycerol fatty acid eater (preferably having a glycerol polymerization degree of 6-15), (D) preferably 0.5-20% ethanol and (E) preferably 0.1-5pts. (based on 1pt. of the component B) of water.

.....
Data supplied from the **espacenet** database — Worldwide